


United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form



This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *How to Complete the National Register of Historic Places Form* (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer to complete all items.

1. Name of Property

historic name St. Anthony Pegram Truss Railroad Bridge

other names/site number _____

2. Location

street & number Approx. 1/2 m. S. of jct. South Parker Rd. and West Belt Branch rail line N/A not for publication

city or town St. Anthony _____ x vicinity

state Idaho code ID county Fremont code 043 zip code _____

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act, as amended, I hereby certify that this X nomination _____ request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property X meets _____ does not meet the National Register criteria. I recommend that this property be considered significant _____ nationally X statewide _____ locally. (____ See continuation sheet for additional comments.)

Robert M. Yohe II
Signature of certifying official/Title

6/4/97
Date

Robert M. Yohe II, State Historic Preservation Officer

State or Federal agency and bureau

In my opinion, the property _____ meets _____ does not meet the National Register criteria. (____ See continuation sheet for additional comments.)

Signature of certifying official/Title

Date

State or Federal agency and bureau

4. National Park Service Certification

I hereby certify that this property is:

- ☒ entered in the National Register.
 x See continuation sheet.
☐ determined eligible for the National Register.
 ____ See continuation sheet.
☐ determined not eligible for the National Register.
☐ removed from the National Register.
☐ other, (explain:)

Paul R. Jones
Signature of the Keeper

7/25/97
Date of Action

United States Department of the Interior
National Park Service

National Register of Historic Places
Continuation Sheet

Section number _____ Page _____

SUPPLEMENTARY LISTING RECORD

NRIS Reference Number: 97000761

Date Listed: 7/25/97

St. Anthony Pegram Truss

Railroad Bridge

Property Name

Fremont

County

ID

State

Pegram Truss Railroad Bridges of Idaho MPS

Multiple Name

This property is listed in the National Register of Historic Places in accordance with the attached nomination documentation subject to the following exceptions, exclusions, or amendments, notwithstanding the National Park Service certification included in the nomination documentation.

Paul R. Fagan
x Signature of the Keeper

7/25/97
Date of Action

=====

Amended Items in Nomination:

Significance:

The current documentation fails to support the National Register eligibility of the property under Criterion B. [George H. Pegram is removed as a "Significant Person," and Criterion B is dropped. The lack of justification for Criterion B is discussed in the comments for the MPS cover.]

The Period of Significance encompasses the date of original construction and the significant relocation of the bridge to its current site.

This information was confirmed with Don Watts of the ID SHPO.

DISTRIBUTION:

National Register property file
Nominating Authority (without nomination attachment)

St. Anthony Pegram Truss Railroad Bridge
Name of Property

St. Anthony, Fremont County, Idaho
City, County, and State

5. Classification

Ownership of Property (Check as many boxes as apply)

☒ private
☐ public-local
☐ public-State
☐ public-Federal

Category of Property (Check only one box)

☐ building(s)
☐ district
☐ site
☒ structure
☐ object

Number of Resources within Property (Do not include previously listed resources in the count.)

Contributing	Noncontributing	
		buildings
		sites
<u>1</u>		structures
		objects
<u>1</u>		Total

Name of related multiple property listing (Enter "N/A" if property is not part of a multiple property listing.)

Pegram Truss Railroad Bridges of Idaho

Number of contributing resources previously listed in the National Register

N/A

6. Function or Use

Historic Functions (Enter categories from instructions)

TRANSPORTATION: rail-related

Current Functions (Enter categories from instructions)

TRANSPORTATION: rail-related

7. Description

Architectural Classification (Enter categories from instructions)

OTHER: Pegram through truss bridge

Materials (Enter categories from instructions)

foundation CONCRETE
walls _____
roof _____
other STEEL

Narrative Description

(Describe the historic and current condition of the property on one or more continuation sheets.)

X See continuation sheet(s) for Section No. 7

St. Anthony Pegram Truss Railroad Bridge
Name of Property

St. Anthony, Fremont County, Idaho
City, County, and State

8. Statement of Significance

Applicable National Register Criteria

(Mark "x" on one or more lines for the criteria qualifying the property for National Register listing.)

- ☐ A Property is associated with events that have made a significant contribution to the broad patterns of our history.
- ☒ B Property is associated with the lives of persons significant in our past.
- ☒ C Property embodies the distinctive characteristics of a type, period, or method of construction, or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- ☐ D Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations

(Mark "x" on all that apply.)

Property is:

- ☐ A owned by a religious institution or used for religious purposes.
- ☒ B removed from its original location.
- ☐ C a birthplace or grave.
- ☐ D a cemetery.
- ☐ E a reconstructed building, object, or structure.
- ☐ F a commemorative property.
- ☐ G less than 50 years of age or achieved significance within the past 50 years.

Areas of Significance

(Enter categories from instructions)

Engineering

Period of Significance

1896-1914

Significant Dates

1896, 1914

Significant Person

(Complete if Criterion B is marked above)

George H. Pegram

Cultural Affiliation

N/A

Architect/Builder

George H. Pegram, Engineer

Narrative Statement of Significance

(Explain the significance of the property on one or more continuation sheets.)

X See continuation sheet(s) for Section No. 8

9. Major Bibliographical References

Bibliography

(Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)

Previous documentation on file (NPS):

- ☐ preliminary determination of individual listing (36 CFR 67) has been requested
- ☐ previously listed in the National Register
- ☐ previously determined eligible by the National Register
- ☐ designated a National Historic Landmark
- ☐ recorded by Historic American Buildings Survey # _____
- ☐ recorded by Historic American Engineering Record # _____

Primary location of additional data:

- ☒ State Historic Preservation Office
- ☐ Other State agency
- ☐ Federal agency
- ☐ Local government
- ☐ University
- ☐ Other

Name of repository:

X See continuation sheet(s) for Section No. 9

St. Anthony Pegram Truss Railroad Bridge
Name of Property

St. Anthony, Fremont County, Idaho
City, County, and State

10. Geographical Data

Acreage of property less than one

UTM References

(Place additional UTM references on a continuation sheet.)

A 1/2 4/4/2/5/2/0 4/8/6/6/3/8/0
Zone Easting Northing

B / / / / / /
Zone Easting Northing

C / / / / / /

D / / / / / /

Verbal Boundary Description

(Describe the boundaries of the property.)

The property is bounded by the exterior dimensions of the bridge and its supporting piers and abutments.

___ See continuation sheet(s) for Section No. 10

Boundary Justification

(Explain why the boundaries were selected.)

The boundary is the minimal size necessary to convey the bridge's historic significance as an engineering structure.

___ See continuation sheet(s) for Section No. 10

11. Form Prepared By

name/title Donald W. Watts

organization Idaho State Historic Preservation Office

date May 20, 1997

street & number 210 Main Street

telephone (208) 334-3861

city or town Boise

state ID zip code 83702

Additional Documentation

Submit the following items with the completed form:

- **Continuation Sheets**

- **Maps:** A USGS map (7.5 or 15 minute series) indicating the property's location.

A Sketch map for historic districts and/or properties having large acreage or numerous resources.

- **Photographs:** Representative black and white photographs of the property.

- **Additional items** (Check with the SHPO or FPO for any additional items.)

Property Owner

name Eastern Idaho Railroad Company

street & number 618 Shoshone Street

telephone (208) 736-9228

city or town Twin Falls

state ID zip code 83301

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 *et seq.*).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 7 Page 1 Name of Property St. Anthony Pegram Truss Railroad Bridge
County and State Fremont County

NARRATIVE DESCRIPTION

The St. Anthony railroad bridge is located on the West Belt Branch of the old Oregon Short Line (Union Pacific) railroad, crossing Henry's Fork of the Snake River, approximately two miles southwest of St. Anthony, Idaho.

The bridge is comprised of two identical Pegram truss through spans, each of which is 135 feet long by 16 feet wide. With the supporting concrete abutments, the total length of the bridge is approximately 275 feet. The bottom of the structure is approximately 25 feet above the river, and the bridge provides a 21-foot clearance above the roadbed. Each of the iron pin-connected spans is composed of five panels.¹

This bridge was fabricated in 1896 by the Pencoyd Iron Works (Philadelphia, Pennsylvania) and originally spanned either the Weiser River near Weiser or the Payette River near Payette, Idaho. It was moved to its present location in 1914 during construction of the West Belt Branch of the Oregon Short Line.² Aside from the relocation, the bridge does not appear to have undergone any major modifications; thus, its historic physical integrity is good.

¹ Union Pacific Railroad Company drawings traced from Pencoyd Iron Works, Bridge & Construction Dept.; Drawing No. 10498, Sheets 1-5, File No. 1030-F, "Bridge No. 338 over Payette River" and "Bridge No. 344 over Weiser River," Orders No. A371 and A372, Sept 1896. See also UPRR, "Bridge No. 338 and 344," Drawing No. 10495, June 12, 1896.

² *Ibid.* See also UPRR (Oregon Short Line), "Bridge Over North Fork of Snake River near St. Anthony," rev. 7-23-14. For dismantling of the Weiser and Payette Pegram spans, see Drawings No. 17667, rev. Sept. 16, 1913, and No. 16365, Jan. 24, 1912.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 1 Name of Property St. Anthony Pegram Truss Railroad Bridge

County and State Fremont County

STATEMENT OF SIGNIFICANCE

The St. Anthony Pegram truss railroad bridge is significant under Criterion C for its engineering design and under Criterion B for its association with Civil Engineer George H. Pegram. This bridge is included in the Pegram Truss Railroad Bridges of Idaho Multiple Property Listing. For a full discussion of the bridge type and significance, see the Multiple Property Documentation Form.

The Pegram truss is a design patented in 1885 by George H. Pegram (1855-1937), an enterprising civil engineer who developed the design early in his professional career. The principal concept of the truss was to standardize the lengths of the top chord members and the longer bottom chord members. Visually, this resulted in the compression posts radiating outward from the center of the truss at increasing angles from the vertical. The intent of the design was to minimize fabrication costs by using standardized member lengths. By saving construction time in both fabrication and erection of the bridge, Pegram intended that this would be a more economical bridge design than other polygonal bridges of the time (Parker truss and others).

The use of the Pegram truss in bridge construction was directly attributed to Pegram himself. As a patented design, only he had the unrestricted right to utilize the truss; although other engineers were free to construct Pegram truss bridges (and pay appropriate royalties on the patented design), it appears that only Pegram used the truss. All known surviving Pegram bridges were constructed while Pegram was chief consulting engineer for the Missouri Pacific Railway Company and while chief engineer for the Union Pacific Railroad Company. The truss design was used for virtually all new bridges constructed on new lines and all replacement bridges on the old lines while he was with the Missouri Pacific from 1889 to 1893 (primarily constructed in Louisiana, Arkansas, Nebraska, and Kansas). While he was with the Union Pacific from 1893 to 1898, the truss design was used for bridges in Idaho and Utah, and possibly Wyoming. Over time, the bridges were replaced to accommodate larger loads, and there appear to be only a few surviving examples left in the United States--in Idaho, Washington, Utah, and Kansas.

The St. Anthony Bridge

The St. Anthony Pegram truss bridge is composed of two spans that were originally erected over either the Weiser River near Weiser, or the Payette River near Payette, Idaho, in 1896. The Weiser bridge was originally a two-span structure; the Payette bridge a three-span structure.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 2 Name of Property St. Anthony Pegram Truss Railroad Bridge
County and State Fremont County

All five of the spans were identical, and Union Pacific construction drawings combine the data for both of them.³ The Weiser and Payette bridges were disassembled and replaced in 1914.

Begun in 1914 and placed in partial operation the same year, the Belt Branch (also known as the Loop and composed of east and west segments) of the Oregon Short Line was designed to provide an important rail line linking the newly developing farm lands flanking the Snake River in eastern Idaho. The West Belt Branch connected St. Anthony, through Menan, to Ucon and was on the west side of the primary line between Idaho Falls and Yellowstone. The East Belt Branch connected St. Anthony, through Heise, to the line near Lincoln just north of Idaho Falls. Generally, the Belt Branch paralleled the main route approximately six to eight miles to either side.

The St. Anthony bridge is one of several reassembled Pegram truss structures constructed on the Belt Branch in 1914. On the East Belt, a one-span through truss was used near Newdale, and three through truss spans crossed the Snake River near Heise. On the West Belt, besides St. Anthony, two spans were used at Menan. Both the Newdale and Menan bridges were destroyed in 1976 by the collapse of the Teton Dam and its ensuing flood. Descriptions and histories of these bridges is described in more detail in the MPDF and the individual nomination forms.

³ UPRR; *op. cit.*

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 9 Page 1 Name of Property St. Anthony Pegram Truss Railroad Bridge
County and State Fremont County

BIBLIOGRAPHY

Beal, Merrill D., and Merle W. Wells; History of Idaho (New York: Lewis Historical Publishing Company, Inc.), 2 vols, 1959.

Beal, Merrill D.; Intermountain Railroads: Standard and Narrow Gauge (Caldwell, ID: Caxton Printers, Ltd.), 1962.

Beran, J. R., Chief Engineer - Design, Union Pacific Railroad, letter to Donald W. Watts, Idaho State Historical Society, June 8, 1990.

-----; letter dated September 13, 1990.

Idaho Bridge Inventory (SHPO Report #17); Idaho Transportation Department, 1983.

Idaho Register (Idaho Falls, Idaho); Jan 30, Apr 10, Aug 7, Aug 21, Sep 18, Sep 25, Sep 29, Nov 17, Dec 12, Dec 29, 1914.

Union Pacific Railroad Company; "Bridge No. 338 -- Payette River (502.36);" Order diagram for girder spans to replace Pegram spans; Oregon Short Line Railroad; Drawing No. 16365, File No. 1504-L; Union Pacific Railroad Co., Jan. 24, 1913.

-----; "Bridge No. 517 A (Old No. 344) over Weiser River M.P. 517.4 (515.68);" 4 - 68'6" Thru Plate Girder spans to Replace 2 - 135' Thru Pegram Truss Spans; Oregon Short Line Railroad; Drawing No. 17667, File No. 1504-L, Sheet No. 1; April 17, 1913.

-----; "Bridge No. 36.05, Bridge Over North Fork of Snake River near St. Anthony;" Oregon Short Line Railroad, Snake River Valley Belt Line; Sheet No. 1, Drawing No. 18556, File No. 687-G; April 1, 1914.



1. ST. ANTHONY PEGRAM TRUSS RR BRIDGE
2. FREMONT CO., IDAHO
3. DONALD W. WATTS
4. 8/15/90
5. IDAHO SHPD
6. FACING SW
7. # 1 OF 1